

Date: Tuesday, 22/04/2008 3:53:32 PM
 User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : WEARSHOE
 Job Number : 38759
 Estimate Number : 12737
 P.O. Number :
 This Issue : 22/04/2008 S.O. No. :
 Prsht Rev. : NC Part Number : D353513
 First Issue : / / Type : SMALL /MED FAB Drawing Number : D3535 REV B
 Previous Run : 37584 Drawing Revision : B
 Material :
 Due Date : 02/05/2008 Qty: 16 Um: Each
 Written By :
 Checked & Approved By : JLD 08.4.23
 Comment : Est Rev:A New Issue 07-02-15 JLM
 Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 M304S20GA 304/316 .040 Sheet



Comment: Qty.: 0.8930 sf(s)/Unit Total : 14.2884 sf(s)
 304/316 .040 Sheet
 (M304S20GA)
 Batch: 107744 IB 8-4-25

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET
 1-Cut as per Dwg D3535
 Dwg Rev: B
 Prog Rev: B

IB 8-4-25

(16)

2-Deburr if necessary

IB 8-4-25

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

IB 8-4-25

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

SB 08/04/20 (16)

5.0 BRAKE NC NC BRAKE



Comment: NC BRAKE

1-Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326
 2-Form joggle as per Dwg D3535 using Jig DT8158 Identify as D3535-13

SB 08/05/13 (16)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 22/04/2008 3:53:32 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 38759

Part Number: D353513

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

508/05/14 (+16)

count
30 min

7.0

POWDER COATING

POWDER COATING



M 105642



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

M-1 08/05

15/05/2008
S.251 13.14
#1 323.0 F
#2 338.75 F
#3 0353513 F
#4

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



9/2



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

08-05-15

(X16)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: EP-16

9/2

08-05-15

(X16)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/05/16

Job Completion



MF 08-05-16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART


RELEASED

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.		
CB	PH	PORT HADLOCK, WA		
CHECKED	APPROVED	DRAWING NO.	REV. B	
		D3535	SHEET 1 OF 7	
DATE		TITLE	SCALE	
07.04.17		WEARSHOE	1:10	
A	06.10.25	NEW ISSUE		
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC		




D3535-11F FLAT PATTERN




D3535-11 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 58754



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL





NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART

RELEASED
07.04.24

DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, MA
DATE	07.04.17	TITLE	D3535	WEARSHOE
		SCALE	1:10	
		SHEET 2 OF 7		
		REV. B		



- NOTES**
- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
 - 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
 - 3) PART IS SYMMETRICAL ABOUT C
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) BREAK ALL SHARP EDGES TO 0.010 MAX
 - 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
 - 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38257



DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
#	#	D3535	SHEET 3 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	

RELEASED


07.04.24




D3535-23F FLAT PATTERN

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38759

D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN



D3535-25 BEND DETAIL

NOTES




- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
<i>[Signature]</i>	<i>[Signature]</i>	D3535	SHEET 4 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	

RELEASED

07.04.17



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38759



NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART


07.04.24

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 5 OF 7
DATE	TITLE		SCALE
07.04.17	WEARSHOE		1:10




D3535-35F FLAT PATTERN



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38759

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524,
20 GAUGE (0.038 THICK)
(REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER
QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT
PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-37F FLAT PATTERN




D3535-37 BEND DETAIL


DART

RELEASED

07.04.24



D3535-39F FLAT PATTERN




D3535-39 BEND DETAIL


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38259

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)
(REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-41F FLAT PATTERN




D3535-41 BEND DETAIL

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 6 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	


DART

RELEASED
07.04.24


DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	TITLE	WEARSHOE	REV. B
				DRAWING NO. D3535
				SHEET 7 OF 7
				SCALE 1:1



DETAIL B



DETAIL A



SECTION C-C

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38759

DART AEROSPACE LTD		Work Order:	38759
Description: WEAR SHOE		Part Number:	D3535-13
Inspection Dwg: D3535-R Rev: B		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

X

[illegible]

Measured by:	IB	Audited by:	J	Prototype Approval:	a
Date:	8-4-25	Date:	08/04/25	Date:	12

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

